

Heli-Expo 2015

The future is now! Airbus Helicopters unveils its all-new H160 as the benchmark for medium-class rotorcraft

Orlando, Florida, 3 March, 2015 – In one of the industry's most anticipated events, Airbus Helicopters today presented its all-new H160, raising the standards for performance, cost effectiveness, passenger comfort and environmental impact to create the medium-class rotorcraft benchmark.

As the first product introduced with the Airbus Helicopters corporate identity and its new numbering designation, this 5.5-6-ton-class rotorcraft's nose-to-tail breakthroughs in design and systems exemplify the company's transformation plan that puts customer satisfaction and operational safety first.

Airbus Helicopters unveiled the twin-engine H160 at the Heli-Expo industry show's opening in Orlando, Florida, where a full-scale representative model is being displayed on the company's exhibit stand (Booth #2437).

"The H160 represents Airbus Helicopters' strategy to provide the most efficient solutions for our customers, who serve, protect, save lives and safely carry passengers in the most demanding environments," said President Guillaume Faury. "We are driven by this mission, because what is important to our customers is essential to us."

The H160 brings form and function together in a highly stylized rotorcraft, which integrates as many as 68 different Airbus Helicopters-patented technologies. Its payload lift, range and efficiency make this helicopter ideally suited for a wide variety of uses, including oil and gas operations; public services, air medical and coast guard duties; along with commercial transport, private and business aviation.

With a cruise speed of 160 kts., the H160 can carry 12 passengers at distances of up to 120 NM. for oil and gas missions, and a 450-NM range with 20-minute reserve in public service or search and rescue tasks.

The distinctive design of the H160 includes two Airbus Helicopter firsts, both offering improved performance and flight stability: the largest-ever Fenestron® shrouded tail rotor, which is also double-canted at 12-deg. angles, further enhancing anti-torque control efficiency; and the all-new Biplane Stabilizer™, whose unique design involves a staggered placement of the dual-level, interconnected stabilizers. This feature facilitates pilot maneuvers and significantly reduces aerodynamic penalties in low-speed flight and hover.

An additional H160 technology breakthrough is Airbus Helicopters' initial production use of its Blue Edge® main rotor blades, which reduce exterior noise levels by 50 percent (3 dB) and also allow a payload increase of up to 100 kg. when compared to traditional rotor blades, depending on flight conditions.

The H160 is the first-ever, fully-composite civil helicopter, resulting in an airframe that is lighter in weight, more robust, resistant to corrosion and fatigue, while requiring less maintenance. Airbus Helicopters' proven Spheriflex bearingless main rotor hub is further enhanced with the application of innovative composite thermoplastic technology – which reduces weight and increases damage tolerance.

The H160's integration of Airbus Helicopters' Helionix® avionics marks its latest application of the first digital avionics suite to be fully designed and integrated by a rotorcraft manufacturer. Operators will benefit from the increased safety that Helionix® provides through reduced pilot workload, enhanced situational awareness, improved flight envelope protection and system redundancy. In service today on the EC175 and EC145 T2, Helionix® is an avionics family concept that enables software improvements to be integrated and retrofitted on the H160 as well as other helicopters in the company's current, future and evolved product lines.

To power its H160, Airbus Helicopters has selected the new Turbomeca 1,100-shp. Arrano engine, which offers significant reductions in fuel consumption for improved range and payload performance, along with a reduced environmental footprint. An optimized maintenance concept designed to significantly decrease the need for on-site servicing will contribute to lower operational costs for the helicopter.

Additional features of the H160 include electric landing gear, requiring less maintenance while also allowing more payload to be carried; easy access to various maintenance areas, which was taken into consideration during the concurrent engineering process; along with flexibility in the maintenance plan to match operators' needs and constraints thanks to the MSG-3 (Maintenance Steering Group-3) inspection methodology.

Airbus Helicopters has invested heavily in the H160 program to ensure efficiency throughout development. Three dedicated prototype aircraft are fully supported by two new ground-based integration test means that enable comprehensive validations of the various system integrations to ensure the highest levels of maturity before the H160's first flight and shorten the entire development process. The Dynamic Helicopter Zero is a test bench fully representative of the rotorcraft's dynamic systems, the main and tail rotor flight controls, along with hydraulic, electrical, avionics and health/usage monitoring systems whereas the System Helicopter Zero integrates the H160's avionics, electrical harnesses, fuel system, hydraulics, flight controls, lighting and all key elements that are connected electrically and involve software.

Development of the H160 began in 2013, with the definition of the final aircraft configuration confirmed this year. The helicopter's first flight will also take place in 2015 and service entry is planned for 2018.

As the first helicopter to be released under the new Airbus Helicopters identity which fully representative of the company's core values of excellence, agility, unity and integrity, the H160 introduces the company's new way of naming its product lines in line with its transformation. Consistent with the strategies utilized by Airbus, the "AS" and "EC" letters for in-production helicopters are replaced by "H." Military versions will be identified with an "M" after the model name.

Follow all of Airbus Helicopters' activities at Heli-Expo 2015, including daily announcements and feature stories, by visiting the company's new-look website at: <http://www.airbushelicopters.com>. Also keep up-to-date on Twitter at: #HAI_EXPO15 and the H160 hashtag: #LiftingEmotions.

About Airbus Helicopters

Airbus Helicopters is a division of Airbus Group, a global pioneer in aerospace and defense related services. Airbus Helicopters is the world's No. 1 helicopter manufacturer and employs more than 23,000 people worldwide. With 44 percent market share in civil and parapublic sectors, the company's fleet in service includes some 12,000 helicopters operated by more than 3,000 customers in more than 150 countries. Airbus Helicopters' international presence is marked by its 29 customer centers and participations and its worldwide network of service centers, training facilities, distributors and certified agents. Airbus Helicopters' range of civil and military helicopters is the world's largest; its aircraft account for one third of the worldwide civil and parapublic fleet. The company's chief priority is to ensure the safe operation of its aircraft for the thousands of people who fly more than 3 million hours per year.

For more information please contact:

Stéphane Chéry
Tel: + 33 (0)4 42 85 60 51
Mob: + 33 (0)6 23 93 71 23
stephane.chery@airbus.com

Claas Belling
Tel: + 49 (0)906 71 4565
Mob: +49 (0)151 6885 4939
Claas.belling@airbus.com

Erin Callender
Tel: + 33 (0)4 42 85 51 31
Mob: + 33 (0)6 72 86 68 03
Erin.callender@airbus.com

Priscilla Yip
Tel: +65 6592 7217
Mob: +65 9660 7040
Priscilla.yip@airbus.com

Laurence Petiard
Tel: + 33 (0)4 42 85 25 45
Mob: + 33 (0)6 18 79 75 69
laurence.petiard@airbus.com

Julia Sailer
Tel: + 49 (0)906 71 2129
Mob: + 49 (0)151 2645 0997
Julia.sailer@airbus.com

Gloria Illas
Tel: + 33 (0)4 42 85 58 89
Mob: +33 (0) 6 31 47 08 99
gloria.illas@airbus.com

We are Airbus Helicopters,
We are H

PREVIOUS TRADE NAMES	NEW TRADE NAMES	
Civil/Military	Civil	Military
EC120 B	H120	
AS350 B2	AS350 B2	
AS350 B3e	H125	
AS550 C3e		H125M
EC130 T2	H130	
EC135 T3/P3	H135	
EC635 T2e/P2e		H135M
EC145e	EC145	
EC145 T2	H145	
EC645 T2		H145M
AS365 N3+	AS365 N3+	
AS565 MBe		AS565 MBe
EC155 B1	H155	
X4	H160	
EC175	H175	
AS332 C1e	AS332 C1e	
AS332 L1e	AS332 L1e	
AS532 ALe		AS532 ALe
EC225e	H225	
EC725		H225M
NH90		NH90
Tigre (EC665)		Tiger